

SECRET/SECURITY INFORMATION/US OFFICIALS ONLY

-2-

50X1-HUM

a mine in the Kohtla-Yarve area. Explorations there had proven the whole area to be rich in phosphorite; in fact, probably the richest and easiest to mine in Estonia. However, the directors of the company wanted the mine to be close to Tallin, so the Maardu site was decided upon. if the Ulgaste mine had not been destroyed by fire, the Maardu mine probably would not have been opened up. Maardu was the only phosphorite mine in Estonia in 1944.

50X1-HUM

50X1-HUM

CAPACITY

50X1-HUM

6. The Maardu mine was designed to produce 1,500 tons of phosphorite each 24 hours. Complete processing was planned to be done at the mine.
7. Construction and preliminary mining work was underway from 1938 to 1941. It should be borne in mind that it takes about two years to put a phosphorite mine in operation.

8. the Maardu deposit covers an area of about 12 square kilometers and is good for 50 years or more as a producer.

50X1-HUM

NUMBER OF EMPLOYEES:

9. By 1941 we had 200 miners at work, producing about 200 tons of phosphorite each 24 hours. No processing was done meanwhile for all of the machinery was not installed and there was not a sufficient amount of phosphorite on hand to efficiently process. Therefore, the material was being stored to await a suitable stockpile to begin operations and to complete machine installations.

10.

50X1-HUM

11.

12. Under German authority production was stepped up to 300 tons per 24-hour period. All of this raw material was sent to Germany for processing.

EXTRACTION

13. The Maardu phosphorite area was located on a hillside about 30 meters above the water level. Extraction was made by digging down to a depth of about 15 meters and then running slopes into the hillside. Conveyor belts carried the phosphorite bearing earth to small "donkey"-type cars which were drawn by small engines to the stockpile. The height of the slopes varied from 80 centimeters to two and one half meters. Timbers were used to shore up the limestone and earth in the slopes.

50X1-HUM

50X1-HUM

MACHINERY AND EQUIPMENT

14. All machinery and equipment was modern and new in 1938. It was well maintained even under the Germans. in 1944 it was in excellent condition. It had been well maintained.

50X1-HUM

TRANSPORTATION

15. A special, narrow-gauge track had been laid from Tallin to the Maardu mine. The water at the Gulf of Finland, two kilometers away, was too shallow to permit ships to be used for transport.
16. It had been planned to move the phosphorite by rail to Tallin where it could be

SECRET/SECURITY INFORMATION/US OFFICIALS ONLY

SECRET/SECURITY INFORMATION/US OFFICIALS ONLY

-3-

50X1-HUM

shipped

QUALITY OF PRODUCT

17. The Maardu phosphorite deposits were exceedingly rich and, next to deposits in the Kohtla Yarve district, the richest in the world. This is based on the comparison of the facility of processing, for phosphorite is made up of calcium shell deposits mixed with sand and earth, about 30% shell deposit to 70% sand or earth. While other mines may have the same percentage of shell, the Maardu mine was of the quality that produced 33% P_2O_5 after processing. Less processing was needed, also.
18. The Kohtla Yarve deposits compared with the Maardu deposit in quality.

HEALTH AND SAFETY PRECAUTIONS AT MAARDU

19. By 1944 there were accommodations at the mine to house about 50 families. The bulk of this housing was of barracks type and had been constructed by the Germans. Every worker was insured. There was a first aid dispensary at the mine as well as an ambulance to transport emergency cases to Tallin.
20. The percentage of accidents was very small because of precautions taken and good mine construction. Workers used leather helmets in the mines. There was very little water in the mines and this was mostly "run off". It was drained from the hillside slopes by means of ditches graded about a drop of one meter per one thousand meters. Timber shoring was used to keep the slopes clear.

PERSONALITY DATA ON MINE OFFICIALS

21. [REDACTED]
22. There was a supervisor at the mine named August Sillaots who was a Communist. In fact, he was a Party member candidate in 1940. He was a graduate of a mine supervisors' school [REDACTED]

50X1-HUM

50X1-HUM

DIAGRAMS OF PHOSPHORITE DEPOSITS AT ULGASTE, MAARDU AND KOHTLA YARVE

1. Ulgaste

Rubble & Earth	1.00 meter
Sandstone	1.00 meter
Phosphorite	.20 meter
Sandstone	1.00 meter
Phosphorite	.80 meter

2. Maardu

Rubble & Earth	1.00 meter
Sandstone	1.00 meter
Phosphorite	1.00 meter

3. Kohtla Yarve

Rubble & Earth	1.00 meter
Phosphorite	1.50 meter

SECRET/SECURITY INFORMATION/US OFFICIALS ONLY

SECRET/SECURITY INFORMATION/US OFFICIALS ONLY

50X1-HUM

-4-

23. As can be seen from the above sketches, the Kohtla Yärve deposits are easiest to mine since the phosphorite is just under the layer of rubble and earth. However, the area is too far from Tallin.
24. The Maardu deposits are the next best for mining while the Ulgaste deposit has two layers with sandstone in between.

-end-

SECRET/SECURITY INFORMATION/US OFFICIALS ONLY